

Patient Name: _____

Date: _____

Pain Score: Grade your pain level on a scale of 0-10 over the **last 24-hour period**
 (0= no pain, 10= worst pain) **Worst:** _____ **Least:** _____ **Present:** _____

LOWER EXTREMITY FUNCTIONAL SCALE

Today, do you or would you have any difficulty at all with:

	Extreme Difficulty or Unable to Perform Activity	Quite a Bit of Difficulty	Moderate Difficulty	A Little Bit of Difficulty	No Difficulty
ACTIVITY					
1. Any of your usual work, house work, or school activities.	0	1	2	3	4
2. Your usual hobbies, recreational or sporting activities.	0	1	2	3	4
3. Getting into or out of the bath.	0	1	2	3	4
4. Walking between rooms.	0	1	2	3	4
5. Putting on your shoes or socks.	0	1	2	3	4
6. Squatting.	0	1	2	3	4
7. Lifting an object, like a bag of groceries from the floor.	0	1	2	3	4
8. Performing light activities around your home.	0	1	2	3	4
9. Performing heavy activities around your home.	0	1	2	3	4
10. Getting into or out of a car.	0	1	2	3	4
11. Walking 2 blocks.	0	1	2	3	4
12. Walking a mile.	0	1	2	3	4
13. Going up or down 10 stairs (about 1 flight of steps)	0	1	2	3	4
14. Standing for 1 hour.	0	1	2	3	4
15. Sitting for 1 hour.	0	1	2	3	4
16. Running on even ground.	0	1	2	3	4
17. Running on uneven ground.	0	1	2	3	4
18. Making sharp turns while running fast.	0	1	2	3	4
19. Hopping.	0	1	2	3	4
20. Rolling over in bed.	0	1	2	3	4
Column totals					

Minimum Level of Detectable Change (90% Confidence): 9 points

Score: _____ / 80

Reprinted from Brinkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network, The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.